

Tennessee Vital Statistics Summary Resident Data 2013



TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF POLICY, PLANNING AND ASSESSMENT
APRIL 2015



NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2013: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	6,495,866	79,954	1,943	63,199	14,723	13,931	3,497	542	333	11,722
ANDERSON	75,548	765	17	928	208	217	58	5	2	90
BEDFORD	45,894	603	20	446	115	92	39	3	-	69
BENTON	16,288	168	8	242	75	55	23	-	-	10
BLED SOE	12,828	109	1	138	43	27	7	-	-	2
BLOUNT	125,093	1,307	32	1,378	228	288	81	4	1	147
BRADLEY	101,839	1,241	25	948	286	197	46	10	6	71
CAMPBELL	40,238	420	17	587	124	139	37	2	-	27
CANNON	13,766	130	2	164	42	33	12	2	2	9
CARROLL	28,509	305	4	391	124	73	20	2	1	24
CARTER	57,333	501	16	727	154	169	23	2	-	13
CHEATHAM	39,502	429	9	371	79	104	23	4	3	54
CHESTER	17,317	204	6	169	40	42	11	-	-	12
CLAIBORNE	31,562	315	12	410	105	105	24	-	-	30
CLAY	7,777	75	3	102	24	22	4	-	-	2
COCKE	35,484	382	20	494	131	108	26	5	1	37
COFFEE	53,361	661	15	661	165	137	32	2	1	53
CROCKETT	14,577	166	4	191	68	36	7	-	-	19
CUMBERLAND	57,460	527	20	778	168	207	36	5	2	37
DAVIDSON	658,598	9,911	171	5,077	1,182	1,109	386	76	56	2,152
DECATUR	11,662	136	4	144	45	34	7	1	-	4
DEKALB	19,163	222	7	254	69	48	17	1	-	18
DICKSON	50,263	619	8	514	131	118	30	2	2	58
DYER	38,217	452	20	450	108	92	14	1	-	45
FAYETTE	38,684	411	7	361	79	74	14	4	3	74
FENTRESS	17,899	187	4	270	64	66	5	5	4	11
FRANKLIN	41,116	406	11	499	131	108	30	-	-	35
GIBSON	49,456	610	28	633	159	118	28	5	5	49
GILES	28,750	317	1	393	105	95	21	1	-	50
GRAINGER	22,710	216	10	298	49	76	17	1	1	11
GREENE	68,272	643	13	833	228	174	38	7	4	42
GRUNDY	13,470	177	7	211	55	45	18	-	-	5
HAMBLEN	63,089	760	25	776	139	173	41	4	3	68
HAMILTON	348,669	4,170	94	3,396	790	753	162	28	17	296
HANCOCK	6,658	62	3	98	14	17	2	-	-	1
HARDEMAN	26,315	274	8	292	60	65	9	4	4	35
HARDIN	26,037	282	3	399	144	59	29	3	-	16
HAWKINS	56,815	523	13	645	144	164	30	7	4	15
HAYWOOD	18,231	237	15	172	42	37	7	2	1	36
HENDERSON	28,046	319	10	302	61	75	17	4	3	26
HENRY	32,223	352	15	461	131	87	26	2	-	30
HICKMAN	24,258	284	12	253	38	57	12	2	2	22
HOUSTON	8,291	73	3	119	25	28	5	-	-	4
HUMPHREYS	18,230	198	5	252	62	63	12	2	2	13
JACKSON	11,499	86	4	150	29	32	8	-	-	4
JEFFERSON	52,125	500	12	543	109	126	28	2	1	45
JOHNSON	17,957	144	8	233	45	60	14	2	2	3
KNOX	444,624	5,113	93	3,990	829	878	234	25	18	796

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2013: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	7,731	63	3	90	23	26	5	1	-	1
LAUDERDALE	27,802	288	10	280	84	57	20	3	2	36
LAWRENCE	41,992	560	6	502	133	104	15	-	-	33
LEWIS	11,962	118	1	161	47	37	6	2	1	8
LINCOLN	33,649	334	10	365	98	63	24	-	-	31
LOUDON	50,447	543	15	650	117	157	35	5	2	61
MCMINN	52,348	589	12	668	154	138	21	2	1	40
MCNAIRY	26,137	269	4	346	93	79	22	3	1	29
MACON	22,701	311	12	277	71	60	20	2	2	16
MADISON	98,727	1,256	39	896	209	187	37	8	3	198
MARION	28,376	315	7	425	104	101	19	2	2	18
MARSHALL	31,138	350	8	324	81	76	18	3	3	35
MAURY	83,772	1,045	18	836	154	171	49	4	3	125
MEIGS	11,660	136	6	146	24	36	7	1	-	8
MONROE	45,263	535	11	494	103	113	24	3	1	19
MONTGOMERY	184,117	3,220	40	1,092	214	220	71	20	10	444
MOORE	6,301	59	1	66	16	15	5	1	1	-
MORGAN	21,900	199	2	239	49	55	10	-	-	10
OBION	31,126	334	11	396	105	84	23	2	-	23
OVERTON	22,080	219	4	311	81	77	16	-	-	11
PERRY	7,865	100	1	118	27	34	4	-	-	5
PICKETT	5,072	29	1	69	11	10	6	-	-	-
POLK	16,687	167	8	221	54	50	21	2	2	5
PUTNAM	73,526	888	20	803	180	186	42	7	5	108
RHEA	32,511	402	14	352	77	81	21	5	2	26
ROANE	53,053	476	10	759	154	169	47	4	4	39
ROBERTSON	67,394	872	13	579	165	118	36	6	4	109
RUTHERFORD	281,039	3,742	64	1,596	367	357	101	17	11	540
SCOTT	22,002	296	14	275	56	54	15	2	1	14
SEQUATCHIE	14,681	163	8	151	37	42	7	1	1	10
SEVIER	93,582	1,003	21	951	231	226	50	10	7	128
SHELBY	939,452	13,760	447	7,898	1,825	1,793	401	127	77	3,987
SMITH	19,066	241	5	217	41	41	18	-	-	15
STEWART	13,349	123	1	161	46	34	8	-	-	12
SULLIVAN	156,599	1,587	50	1,977	472	383	109	10	4	40
SUMNER	168,887	2,000	46	1,403	320	312	66	12	9	241
TIPTON	61,585	757	18	530	121	134	31	1	1	93
TROUSDALE	7,834	98	3	72	9	18	6	2	-	8
UNICOI	18,067	166	3	300	87	55	9	2	2	5
UNION	19,103	185	5	214	49	47	14	-	-	6
VAN BUREN	5,556	62	5	72	18	15	4	-	-	1
WARREN	39,973	507	19	508	137	100	31	6	3	34
WASHINGTON	125,552	1,327	25	1,364	359	261	60	11	7	60
WAYNE	16,947	132	9	197	52	51	10	3	2	7
WEAKLEY	34,452	349	13	374	106	83	15	1	-	32
WHITE	26,247	317	11	350	85	65	17	2	2	22
WILLIAMSON	198,909	2,096	20	987	209	249	55	7	3	235
WILSON	121,944	1,374	24	994	222	225	76	5	3	124

Other Terminations - Total number of fetal deaths and induced termination of pregnancies.

A dash (-) indicates there were no events.

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2013: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT RATE (10-17)	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	12.3	62.1	5.9	9.1	9.7	6.8	4.2	146.6	7.2
ANDERSON	10.1	58.1	4.9	8.2	12.3	6.5	2.6	117.6	5.8
BEDFORD	13.1	69.0	7.7	8.3	9.7	5.0	-	114.4	8.8
BENTON	10.3	65.9	10.9	7.1	14.9	-	-	59.5	10.9
BLED SOE	8.5	56.5	1.7	5.5	10.8	-	-	18.3	1.7
BLOUNT	10.4	57.8	5.1	6.4	11.0	3.1	0.8	112.5	5.9
BRADLEY	12.2	60.9	4.7	8.6	9.3	8.1	4.8	57.2	4.7
CAMPBELL	10.4	59.2	8.8	11.0	14.6	4.8	-	64.3	10.4
CANNON	9.4	54.0	3.1	11.5	11.9	15.4	15.4	69.2	3.1
CARROLL	10.7	59.7	2.9	6.9	13.7	6.6	3.3	78.7	3.6
CARTER	8.7	48.4	6.5	8.0	12.7	4.0	-	25.9	6.9
CHEATHAM	10.9	58.1	4.2	7.0	9.4	9.3	7.0	125.9	4.6
CHESTER	11.8	55.0	5.6	8.3	9.8	-	-	58.8	5.6
CLAIBORNE	10.0	53.3	8.0	10.2	13.0	-	-	95.2	9.4
CLAY	9.6	63.1	8.6	9.3	13.1	-	-	26.7	8.6
COCKE	10.8	61.6	12.1	8.9	13.9	13.1	2.6	96.9	12.7
COFFEE	12.4	67.0	5.4	9.2	12.4	3.0	1.5	80.2	5.4
CROCKETT	11.4	61.6	5.0	8.4	13.1	-	-	114.5	5.0
CUMBERLAND	9.2	63.0	8.7	9.9	13.5	9.5	3.8	70.2	9.6
DAVIDSON	15.0	64.1	6.1	8.8	7.7	7.7	5.7	217.1	8.2
DECATUR	11.7	73.6	7.6	5.9	12.3	7.4	-	29.4	7.6
DEKALB	11.6	66.2	7.7	8.6	13.3	4.5	-	81.1	8.8
DICKSON	12.3	65.2	3.2	9.2	10.2	3.2	3.2	93.7	3.5
DYER	11.8	62.7	9.8	10.8	11.8	2.2	-	99.6	11.2
FAYETTE	10.6	63.7	4.1	8.3	9.3	9.7	7.3	180.0	5.8
FENTRESS	10.4	62.0	4.4	9.6	15.1	26.7	21.4	58.8	4.4
FRANKLIN	9.9	54.3	5.0	10.6	12.1	-	-	86.2	6.8
GIBSON	12.3	66.7	10.4	8.0	12.8	8.2	8.2	80.3	10.4
GILES	11.0	63.8	0.7	7.6	13.7	3.2	-	157.7	1.5
GRAINGER	9.5	55.2	9.4	10.2	13.1	4.6	4.6	50.9	11.3
GREENE	9.4	54.2	4.0	7.8	12.2	10.9	6.2	65.3	5.3
GRUNDY	13.1	75.8	10.8	15.3	15.7	-	-	28.2	10.8
HAMBLEN	12.0	67.2	7.9	9.3	12.3	5.3	3.9	89.5	8.2
HAMILTON	12.0	59.9	5.8	9.7	9.7	6.7	4.1	71.0	6.0
HANCOCK	9.3	55.0	10.5	9.7	14.7	-	-	16.1	10.5
HARDEMAN	10.4	67.7	6.4	12.4	11.1	14.6	14.6	127.7	7.2
HARDIN	10.8	64.1	2.5	13.1	15.3	10.6	-	56.7	4.1
HAWKINS	9.2	53.2	4.6	8.2	11.4	13.4	7.6	28.7	4.6
HAYWOOD	13.0	69.1	15.2	8.9	9.4	8.4	4.2	151.9	17.3
HENDERSON	11.4	60.8	6.9	9.4	10.8	12.5	9.4	81.5	6.9
HENRY	10.9	67.5	10.1	7.1	14.3	5.7	-	85.2	12.8
HICKMAN	11.7	68.2	10.6	12.0	10.4	7.0	7.0	77.5	10.6
HOUSTON	8.8	51.1	7.1	11.0	14.4	-	-	54.8	7.1
HUMPHREYS	10.9	63.4	5.6	10.6	13.8	10.1	10.1	65.7	5.6
JACKSON	7.5	46.2	7.9	11.6	13.0	-	-	46.5	7.9
JEFFERSON	9.6	52.9	4.6	8.6	10.4	4.0	2.0	90.0	5.8
JOHNSON	8.0	54.8	11.3	6.9	13.0	13.9	13.9	20.8	11.3
KNOX	11.5	54.6	4.4	8.4	9.0	4.9	3.5	155.7	5.5

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2013: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	8.1	66.2	14.1	12.7	11.6	15.9	-	15.9	14.1
LAUDERDALE	10.4	58.9	6.9	8.7	10.1	10.4	6.9	125.0	10.3
LAWRENCE	13.3	75.0	2.7	7.3	12.0	-	-	58.9	3.1
LEWIS	9.9	57.1	1.8	5.1	13.5	16.9	8.5	67.8	1.8
LINCOLN	9.9	57.8	6.1	10.5	10.8	-	-	92.8	6.7
LOUDON	10.8	68.4	6.8	8.5	12.9	9.2	3.7	112.3	7.7
MCMINN	11.3	62.6	4.6	7.6	12.8	3.4	1.7	67.9	5.4
MCNAIRY	10.3	59.7	3.1	7.1	13.2	11.2	3.7	107.8	3.8
MACON	13.7	72.4	9.9	11.3	12.2	6.4	6.4	51.4	11.5
MADISON	12.7	61.8	7.5	9.6	9.1	6.4	2.4	157.6	8.8
MARION	11.1	63.7	5.1	10.2	15.0	6.3	6.3	57.1	5.8
MARSHALL	11.2	59.9	4.8	9.4	10.4	8.6	8.6	100.0	7.2
MAURY	12.5	65.3	4.5	8.1	10.0	3.8	2.9	119.6	6.0
MEIGS	11.7	70.3	9.9	12.5	12.5	7.4	-	58.8	11.6
MONROE	11.8	69.1	5.1	8.2	10.9	5.6	1.9	35.5	5.6
MONTGOMERY	17.5	75.1	4.1	6.7	5.9	6.2	3.1	137.9	6.0
MOORE	9.4	56.4	3.0	3.4	10.5	16.9	16.9	-	3.0
MORGAN	9.1	58.2	1.9	9.5	10.9	-	-	50.3	2.9
OBION	10.7	60.5	6.8	7.5	12.7	6.0	-	68.9	7.4
OVERTON	9.9	57.5	3.7	6.8	14.1	-	-	50.2	3.7
PERRY	12.7	77.7	2.8	8.0	15.0	-	-	50.0	2.8
PICKETT	5.7	39.6	4.8	3.4	13.6	-	-	-	4.8
POLK	10.0	57.3	9.6	7.2	13.2	12.0	12.0	29.9	10.8
PUTNAM	12.1	59.1	5.6	7.1	10.9	7.9	5.6	121.6	6.7
RHEA	12.4	68.1	8.2	8.2	10.8	12.4	5.0	64.7	8.2
ROANE	9.0	55.8	4.2	8.0	14.3	8.4	8.4	81.9	5.4
ROBERTSON	12.9	68.0	3.5	7.5	8.6	6.9	4.6	125.0	5.4
RUTHERFORD	13.3	57.6	4.1	8.7	5.7	4.5	2.9	144.3	4.9
SCOTT	13.5	71.4	11.6	9.8	12.5	6.8	3.4	47.3	12.4
SEQUATCHIE	11.1	64.3	10.8	10.4	10.3	6.1	6.1	61.3	10.8
SEVIER	10.7	59.6	4.8	9.3	10.2	10.0	7.0	127.6	5.9
SHELBY	14.6	68.3	8.6	11.7	8.4	9.2	5.6	289.8	11.2
SMITH	12.6	70.5	4.9	12.9	11.4	-	-	62.2	5.9
STEWART	9.2	54.9	1.5	8.9	12.1	-	-	97.6	1.5
SULLIVAN	10.1	58.6	7.0	7.8	12.6	6.3	2.5	25.2	7.0
SUMNER	11.8	61.8	4.9	8.3	8.3	6.0	4.5	120.5	6.0
TIPTON	12.3	62.7	4.9	8.3	8.6	1.3	1.3	122.9	6.0
TROUSDALE	12.5	66.6	7.7	17.3	9.2	20.4	-	81.6	7.7
UNICOI	9.2	56.5	3.5	12.7	16.6	12.0	12.0	30.1	3.5
UNION	9.7	54.9	5.5	8.6	11.2	-	-	32.4	5.5
VAN BUREN	11.2	69.0	19.8	12.9	13.0	-	-	16.1	19.8
WARREN	12.7	70.5	9.1	10.1	12.7	11.8	5.9	67.1	10.5
WASHINGTON	10.6	51.5	4.2	8.8	10.9	8.3	5.3	45.2	4.8
WAYNE	7.8	51.8	12.8	7.6	11.6	22.7	15.2	53.0	12.8
WEAKLEY	10.1	47.7	7.3	7.7	10.9	2.9	-	91.7	8.4
WHITE	12.1	69.7	8.7	10.1	13.3	6.3	6.3	69.4	8.7
WILLIAMSON	10.5	56.1	1.5	6.7	5.0	3.3	1.4	112.1	2.1
WILSON	11.3	59.8	3.6	8.6	8.2	3.6	2.2	90.2	4.6

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced termination of pregnancies to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.
 Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2013: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	5,139,373	60,954	1,259	54,123	12,597	11,871	3,060	326	196	5,475
ANDERSON	69,667	716	16	893	197	209	55	5	2	74
BEDFORD	40,248	547	20	413	103	88	37	2	-	54
BENTON	15,497	164	8	241	74	55	23	-	-	8
BLED SOE	12,090	107	1	132	41	24	7	-	-	2
BLOUNT	117,818	1,243	31	1,331	220	278	81	4	1	130
BRADLEY	93,636	1,160	25	922	277	192	44	9	5	60
CAMPBELL	39,322	420	17	583	124	136	37	2	-	27
CANNON	13,289	130	2	163	42	32	12	2	2	9
CARROLL	24,746	279	3	350	109	64	20	2	1	16
CARTER	55,482	492	16	716	153	166	21	2	-	13
CHEATHAM	37,951	419	9	363	77	102	23	4	3	50
CHESTER	15,236	183	6	158	37	41	11	-	-	8
CLAIBORNE	30,548	311	12	400	102	102	24	-	-	29
CLAY	7,508	75	3	96	23	20	4	-	-	2
COCKE	33,863	369	19	486	129	106	26	5	1	35
COFFEE	49,594	623	13	637	157	134	31	2	1	47
CROCKETT	12,240	149	4	166	61	36	7	-	-	12
CUMBERLAND	55,923	521	19	773	167	207	36	5	2	35
DAVIDSON	433,406	6,441	87	3,735	854	791	302	38	29	855
DECATUR	11,058	130	4	142	44	34	7	1	-	3
DEKALB	18,392	219	7	251	68	48	16	1	-	15
DICKSON	46,694	592	7	490	122	116	29	2	2	53
DYER	31,639	368	11	404	97	87	12	1	-	18
FAYETTE	27,213	273	3	260	55	54	9	2	1	22
FENTRESS	17,566	183	4	269	64	66	5	5	4	11
FRANKLIN	37,732	386	9	470	121	102	28	-	-	30
GIBSON	39,345	489	16	523	141	98	22	4	4	32
GILES	24,986	284	1	360	96	92	19	-	-	36
GRAINGER	22,218	214	9	296	49	76	17	1	1	11
GREENE	65,400	630	13	816	226	171	37	6	3	41
GRUNDY	13,171	174	7	209	54	45	17	-	-	5
HAMBLEN	57,904	714	23	740	130	164	39	3	3	57
HAMILTON	263,923	3,030	58	2,781	650	623	142	16	10	214
HANCOCK	6,530	62	3	98	14	17	2	-	-	1
HARDEMAN	14,840	123	6	207	40	39	3	1	1	5
HARDIN	24,461	273	3	381	136	57	28	3	-	13
HAWKINS	54,885	512	13	634	138	163	30	7	4	14
HAYWOOD	8,839	104	4	85	22	22	2	-	-	9
HENDERSON	25,166	291	9	274	57	68	14	3	2	23
HENRY	28,781	309	13	420	119	80	22	-	-	23
HICKMAN	22,530	274	11	248	37	57	12	1	1	20
HOUSTON	7,819	73	3	117	25	27	5	-	-	4
HUMPHREYS	17,308	192	5	243	59	61	12	2	2	12
JACKSON	11,250	85	4	150	29	32	8	-	-	4
JEFFERSON	49,767	489	12	531	106	124	27	1	1	40
JOHNSON	17,286	142	8	231	45	59	13	2	2	3
KNOX	384,343	4,421	65	3,672	755	811	214	20	14	570

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2013: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	5,375	45	2	81	21	25	5	1	-	-
LAUDERDALE	17,289	166	7	201	57	36	14	1	-	18
LAWRENCE	40,303	546	6	486	127	102	15	-	-	31
LEWIS	11,433	116	1	159	47	37	6	2	1	8
LINCOLN	30,238	305	9	331	84	58	21	-	-	25
LOUDON	48,405	531	15	637	112	156	33	5	2	54
MCMINN	48,559	552	12	637	148	134	20	1	1	33
MCNAIRY	24,022	247	3	335	91	78	21	3	1	25
MACON	22,049	309	12	276	71	59	20	2	2	16
MADISON	59,156	662	12	621	149	120	30	2	1	67
MARION	26,587	298	7	410	100	99	18	2	2	16
MARSHALL	28,166	326	7	305	79	69	17	3	3	25
MAURY	70,846	923	12	714	125	146	42	2	2	86
MEIGS	11,193	134	6	141	23	33	7	1	-	7
MONROE	42,989	527	10	485	102	112	23	3	1	17
MONTGOMERY	134,368	2,469	26	887	170	178	61	11	6	262
MOORE	6,021	57	1	65	15	15	5	1	1	-
MORGAN	20,636	199	2	238	48	55	10	-	-	10
OBION	27,142	277	9	353	98	71	20	1	-	17
OVERTON	21,544	217	4	306	78	76	16	-	-	10
PERRY	7,467	97	1	117	26	34	4	-	-	3
PICKETT	5,033	29	1	69	11	10	6	-	-	-
POLK	16,225	167	8	220	53	50	21	2	2	5
PUTNAM	69,188	842	19	787	176	183	41	6	4	92
RHEA	30,941	387	13	340	73	79	20	5	2	24
ROANE	50,187	460	10	731	150	161	46	4	4	35
ROBERTSON	60,368	799	10	508	149	105	31	4	2	73
RUTHERFORD	225,853	3,063	49	1,398	319	312	95	11	7	323
SCOTT	21,625	296	14	273	55	54	15	2	1	14
SEQUATCHIE	14,282	160	8	151	37	42	7	1	1	9
SEVIER	89,789	973	20	939	230	221	50	10	7	111
SHELBY	400,579	5,004	69	3,830	909	820	223	16	5	625
SMITH	18,238	236	5	210	41	40	17	-	-	14
STEWART	12,620	118	1	156	46	32	8	-	-	12
SULLIVAN	149,206	1,527	50	1,928	454	376	107	10	4	39
SUMNER	151,651	1,816	39	1,311	300	299	62	12	9	168
TIPTON	48,148	574	8	425	98	103	25	1	1	49
TROUSDALE	6,872	97	3	61	6	16	6	1	-	4
UNICOI	17,713	163	3	297	86	55	9	2	2	5
UNION	18,707	184	5	213	49	47	14	-	-	6
VAN BUREN	5,459	61	5	66	16	14	4	-	-	1
WARREN	37,552	477	19	493	132	98	29	6	3	29
WASHINGTON	115,887	1,222	24	1,327	349	255	58	11	7	53
WAYNE	15,633	131	9	195	50	51	10	3	2	6
WEAKLEY	30,694	317	10	354	98	80	15	1	-	24
WHITE	25,104	314	11	348	85	65	17	2	2	21
WILLIAMSON	179,376	1,889	17	926	197	229	55	6	3	159
WILSON	109,545	1,260	23	922	211	205	69	5	3	89

Other Terminations - Total number of fetal deaths and induced termination of pregnancies.

A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2013: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	11.9	62.4	5.2	7.8	10.5	5.3	3.2	89.8	6.0
ANDERSON	10.3	59.6	5.2	8.1	12.8	7.0	2.8	103.4	6.1
BEDFORD	13.6	71.6	9.1	8.0	10.3	3.7	-	98.7	10.5
BENTON	10.6	68.1	11.6	7.3	15.6	-	-	48.8	11.6
BLED SOE	8.9	57.1	1.8	4.7	10.9	-	-	18.7	1.8
BLOUNT	10.6	58.7	5.4	6.4	11.3	3.2	0.8	104.6	6.2
BRADLEY	12.4	62.2	5.2	8.3	9.8	7.8	4.3	51.7	5.2
CAMPBELL	10.7	60.4	9.1	11.0	14.8	4.8	-	64.3	10.7
CANNON	9.8	55.5	3.2	11.5	12.3	15.4	15.4	69.2	3.2
CARROLL	11.3	62.4	2.5	7.2	14.1	7.2	3.6	57.3	2.5
CARTER	8.9	49.2	6.8	7.7	12.9	4.1	-	26.4	7.2
CHEATHAM	11.0	59.3	4.4	7.2	9.6	9.5	7.2	119.3	4.8
CHESTER	12.0	55.9	6.7	7.7	10.4	-	-	43.7	6.7
CLAIBORNE	10.2	55.0	8.5	10.3	13.1	-	-	93.2	9.9
CLAY	10.0	65.4	9.1	9.3	12.8	-	-	26.7	9.1
COCKE	10.9	62.1	12.3	9.2	14.4	13.6	2.7	94.9	13.0
COFFEE	12.6	68.0	5.2	8.5	12.8	3.2	1.6	75.4	5.2
CROCKETT	12.2	65.2	6.1	8.7	13.6	-	-	80.5	6.1
CUMBERLAND	9.3	64.2	8.6	9.8	13.8	9.6	3.8	67.2	9.5
DAVIDSON	14.9	65.6	5.9	6.9	8.6	5.9	4.5	132.7	7.3
DECATUR	11.8	73.6	8.1	6.2	12.8	7.7	-	23.1	8.1
DEKALB	11.9	67.8	8.1	8.7	13.6	4.6	-	68.5	9.3
DICKSON	12.7	66.7	3.1	8.8	10.5	3.4	3.4	89.5	3.5
DYER	11.6	63.9	7.0	8.7	12.8	2.7	-	48.9	7.6
FAYETTE	10.0	64.2	2.8	4.0	9.6	7.3	3.7	80.6	3.7
FENTRESS	10.4	62.0	4.5	9.3	15.3	27.3	21.9	60.1	4.5
FRANKLIN	10.2	56.6	4.6	9.3	12.5	-	-	77.7	6.1
GIBSON	12.4	68.9	7.8	7.4	13.3	8.2	8.2	65.4	7.8
GILES	11.4	65.8	0.9	6.3	14.4	-	-	126.8	0.9
GRAINGER	9.6	55.8	8.7	9.8	13.3	4.7	4.7	51.4	10.6
GREENE	9.6	55.6	4.3	7.8	12.5	9.5	4.8	65.1	5.6
GRUNDY	13.2	75.8	11.0	15.5	15.9	-	-	28.7	11.0
HAMBLEN	12.3	68.9	8.1	8.8	12.8	4.2	4.2	79.8	8.1
HAMILTON	11.5	60.0	5.1	7.7	10.5	5.3	3.3	70.6	5.3
HANCOCK	9.5	56.0	10.8	9.7	15.0	-	-	16.1	10.8
HARDEMAN	8.3	59.4	9.5	7.3	13.9	8.1	8.1	40.7	9.5
HARDIN	11.2	65.7	2.7	13.6	15.6	11.0	-	47.6	4.5
HAWKINS	9.3	53.8	4.8	8.4	11.6	13.7	7.8	27.3	4.8
HAYWOOD	11.8	68.6	9.3	3.8	9.6	-	-	86.5	9.3
HENDERSON	11.6	61.5	7.1	9.3	10.9	10.3	6.9	79.0	7.1
HENRY	10.7	66.2	10.0	6.1	14.6	-	-	74.4	13.1
HICKMAN	12.2	68.9	10.1	12.0	11.0	3.6	3.6	73.0	10.1
HOUSTON	9.3	54.0	7.6	11.0	15.0	-	-	54.8	7.6
HUMPHREYS	11.1	64.7	5.9	10.4	14.0	10.4	10.4	62.5	5.9
JACKSON	7.6	46.5	8.1	11.8	13.3	-	-	47.1	8.1
JEFFERSON	9.8	54.1	4.9	8.4	10.7	2.0	2.0	81.8	6.1
JOHNSON	8.2	55.0	11.7	7.0	13.4	14.1	14.1	21.1	11.7
KNOX	11.5	55.6	3.7	7.7	9.6	4.5	3.2	128.9	4.6

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2013: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	8.4	64.2	12.7	4.4	15.1	22.2	-	-	12.7
LAUDERDALE	9.6	57.0	8.7	6.0	11.6	6.0	-	108.4	13.7
LAWRENCE	13.5	75.7	2.8	7.3	12.1	-	-	56.8	3.3
LEWIS	10.1	59.0	1.8	5.2	13.9	17.2	8.6	69.0	1.8
LINCOLN	10.1	58.8	6.1	10.2	10.9	-	-	82.0	6.7
LOUDON	11.0	70.0	7.2	8.7	13.2	9.4	3.8	101.7	8.1
MCMINN	11.4	63.3	5.1	7.2	13.1	1.8	1.8	59.8	5.9
MCNAIRY	10.3	59.8	2.5	6.1	13.9	12.1	4.0	101.2	3.4
MACON	14.0	73.9	10.3	11.3	12.5	6.5	6.5	51.8	12.0
MADISON	11.2	60.7	4.6	5.3	10.5	3.0	1.5	101.2	6.2
MARION	11.2	64.3	5.6	10.7	15.4	6.7	6.7	53.7	6.4
MARSHALL	11.6	61.8	4.7	9.5	10.8	9.2	9.2	76.7	6.0
MAURY	13.0	69.1	3.8	7.4	10.1	2.2	2.2	93.2	5.1
MEIGS	12.0	72.4	10.5	12.7	12.6	7.5	-	52.2	12.2
MONROE	12.3	71.4	5.0	8.3	11.3	5.7	1.9	32.3	5.5
MONTGOMERY	18.4	80.0	4.0	5.8	6.6	4.5	2.4	106.1	5.8
MOORE	9.5	56.8	3.1	3.5	10.8	17.5	17.5	-	3.1
MORGAN	9.6	59.9	2.0	9.6	11.5	-	-	50.3	3.0
OBION	10.2	58.3	6.6	8.7	13.0	3.6	-	61.4	7.3
OVERTON	10.1	58.4	3.8	6.9	14.2	-	-	46.1	3.8
PERRY	13.0	80.0	3.0	7.2	15.7	-	-	30.9	3.0
PICKETT	5.8	39.6	4.9	3.4	13.7	-	-	-	4.9
POLK	10.3	58.8	9.9	7.2	13.6	12.0	12.0	29.9	11.1
PUTNAM	12.2	59.5	5.8	7.0	11.4	7.1	4.8	109.3	7.0
RHEA	12.5	68.7	8.1	8.3	11.0	12.9	5.2	62.0	8.1
ROANE	9.2	56.8	4.5	7.6	14.6	8.7	8.7	76.1	5.9
ROBERTSON	13.2	70.1	3.1	6.9	8.4	5.0	2.5	91.4	4.0
RUTHERFORD	13.6	60.5	4.1	7.7	6.2	3.6	2.3	105.5	4.7
SCOTT	13.7	72.5	11.8	9.8	12.6	6.8	3.4	47.3	12.6
SEQUATCHIE	11.2	64.6	11.1	10.6	10.6	6.3	6.3	56.3	11.1
SEVIER	10.8	60.5	4.9	9.1	10.5	10.3	7.2	114.1	6.1
SHELBY	12.5	67.0	3.8	6.8	9.6	3.2	1.0	124.9	4.6
SMITH	12.9	72.4	5.2	13.1	11.5	-	-	59.3	6.3
STEWART	9.4	55.7	1.6	9.3	12.4	-	-	101.7	1.6
SULLIVAN	10.2	59.3	7.5	8.0	12.9	6.5	2.6	25.5	7.5
SUMNER	12.0	63.3	4.8	7.9	8.6	6.6	5.0	92.5	5.8
TIPTON	11.9	62.5	2.9	8.4	8.8	1.7	1.7	85.4	3.6
TROUSDALE	14.1	72.8	9.1	17.5	8.9	10.3	-	41.2	9.1
UNICOI	9.2	56.6	3.6	12.9	16.8	12.3	12.3	30.7	3.6
UNION	9.8	56.0	5.7	8.7	11.4	-	-	32.6	5.7
VAN BUREN	11.2	69.4	20.9	11.5	12.1	-	-	16.4	20.9
WARREN	12.7	70.5	9.8	9.9	13.1	12.6	6.3	60.8	11.4
WASHINGTON	10.5	51.7	4.5	8.3	11.5	9.0	5.7	43.4	5.1
WAYNE	8.4	53.0	13.5	7.6	12.5	22.9	15.3	45.8	13.5
WEAKLEY	10.3	50.5	6.5	7.3	11.5	3.2	-	75.7	7.1
WHITE	12.5	71.8	9.2	9.9	13.9	6.4	6.4	66.9	9.2
WILLIAMSON	10.5	56.7	1.4	6.5	5.2	3.2	1.6	84.2	2.1
WILSON	11.5	61.8	3.9	8.1	8.4	4.0	2.4	70.6	4.8

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced termination of pregnancies to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100. Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2013: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	1,107,069	16,863	671	8,607	2,027	1,953	414	196	125	5,321
ANDERSON	3,138	34	1	27	6	6	3	-	-	10
BEDFORD	3,764	50	-	26	11	4	2	-	-	10
BENTON	398	4	-	-	-	-	-	-	-	2
BLED SOE	508	2	-	4	2	2	-	-	-	-
BLOUNT	3,669	45	1	42	7	10	-	-	-	7
BRADLEY	4,730	59	-	20	7	3	2	1	1	5
CAMPBELL	197	-	-	2	-	2	-	-	-	-
CANNON	205	-	-	1	-	1	-	-	-	-
CARROLL	3,041	22	1	36	14	9	-	-	-	8
CARTER	826	4	-	7	-	3	2	-	-	-
CHEATHAM	689	6	-	5	2	2	-	-	-	2
CHESTER	1,614	19	-	10	3	1	-	-	-	4
CLAIBORNE	346	3	-	3	1	1	-	-	-	-
CLAY	127	-	-	3	-	-	-	-	-	-
COCKE	715	11	1	5	2	2	-	-	-	2
COFFEE	1,987	24	2	21	7	3	1	-	-	4
CROCKETT	1,960	16	-	24	7	-	-	-	-	5
CUMBERLAND	343	3	1	2	-	-	-	-	-	1
DAVIDSON	185,060	2,961	82	1,283	321	301	81	34	24	1,080
DECATUR	360	4	-	2	1	-	-	-	-	1
DEKALB	394	2	-	1	-	-	-	-	-	-
DICKSON	2,156	23	1	23	9	2	1	-	-	2
DYER	5,589	77	9	45	11	5	2	-	-	25
FAYETTE	10,776	133	4	99	23	20	5	2	2	52
FENTRESS	59	1	-	-	-	-	-	-	-	-
FRANKLIN	2,121	16	2	28	9	6	2	-	-	2
GIBSON	9,161	117	10	108	17	19	6	1	1	15
GILES	2,960	32	-	31	9	3	2	1	-	10
GRAINGER	157	1	1	1	-	-	-	-	-	-
GREENE	1,500	8	-	9	1	1	1	-	-	1
GRUNDY	48	1	-	-	-	-	-	-	-	-
HAMBLEN	2,845	30	1	33	9	7	2	-	-	5
HAMILTON	69,362	1,026	35	594	135	126	20	12	7	67
HANCOCK	14	-	-	-	-	-	-	-	-	-
HARDEMAN	10,957	146	2	84	19	26	6	3	3	29
HARDIN	952	7	-	17	7	2	1	-	-	2
HAWKINS	843	3	-	10	5	1	-	-	-	1
HAYWOOD	9,135	132	11	86	19	15	5	2	1	27
HENDERSON	2,199	25	1	22	2	6	2	-	-	3
HENRY	2,648	35	2	39	12	6	3	1	-	7
HICKMAN	1,194	7	1	4	1	-	-	1	1	-
HOUSTON	244	-	-	2	-	1	-	-	-	-
HUMPHREYS	496	5	-	9	3	2	-	-	-	1
JACKSON	48	1	-	-	-	-	-	-	-	-
JEFFERSON	1,270	9	-	10	2	2	-	-	-	4
JOHNSON	413	2	-	1	-	-	1	-	-	-
KNOX	40,252	532	26	295	71	61	18	5	4	169

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2013: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	2,169	17	1	9	2	1	-	-	-	1
LAUDERDALE	9,751	119	3	76	27	20	6	2	2	18
LAWRENCE	705	9	-	10	4	2	-	-	-	1
LEWIS	245	-	-	2	-	-	-	-	-	-
LINCOLN	2,359	28	1	33	14	5	2	-	-	5
LOUDON	782	6	-	5	2	1	1	-	-	3
MCMINN	2,147	26	-	29	5	4	1	1	-	4
MCNAIRY	1,585	18	1	11	2	1	1	-	-	3
MACON	152	1	-	-	-	-	-	-	-	-
MADISON	36,829	582	27	271	59	66	6	6	2	120
MARION	1,131	15	-	10	3	1	1	-	-	2
MARSHALL	2,124	21	1	15	2	6	1	-	-	6
MAURY	10,275	108	6	121	28	25	7	2	1	29
MEIGS	183	2	-	3	1	2	-	-	-	-
MONROE	1,032	7	1	9	1	1	1	-	-	2
MONTGOMERY	35,799	626	14	185	39	36	10	9	4	130
MOORE	157	-	-	1	1	-	-	-	-	-
MORGAN	852	-	-	-	-	-	-	-	-	-
OBION	3,376	53	2	43	7	13	3	1	-	5
OVERTON	142	2	-	-	-	-	-	-	-	-
PERRY	174	1	-	1	1	-	-	-	-	-
PICKETT	-	-	-	-	-	-	-	-	-	-
POLK	90	-	-	1	1	-	-	-	-	-
PUTNAM	1,713	24	1	12	3	2	1	1	1	5
RHEA	703	9	1	12	4	2	1	-	-	2
ROANE	1,423	12	-	22	4	5	1	-	-	3
ROBERTSON	5,238	64	3	68	16	13	4	2	2	26
RUTHERFORD	37,993	522	15	176	44	40	6	4	2	161
SCOTT	53	-	-	-	-	-	-	-	-	-
SEQUATCHIE	86	-	-	-	-	-	-	-	-	-
SEVIER	1,097	11	-	2	-	-	-	-	-	5
SHELBY	498,507	8,313	375	3,977	897	952	173	103	67	3,064
SMITH	425	4	-	5	-	1	-	-	-	-
STEWART	268	2	-	3	-	1	-	-	-	-
SULLIVAN	3,658	36	-	40	14	7	1	-	-	1
SUMNER	11,620	141	7	79	18	9	4	-	-	48
TIPTON	11,530	164	10	104	23	31	6	-	-	38
TROUSDALE	745	-	-	10	3	2	-	1	-	4
UNICOI	66	1	-	-	-	-	-	-	-	-
UNION	34	-	-	-	-	-	-	-	-	-
VAN BUREN	18	1	-	5	1	1	-	-	-	-
WARREN	1,422	17	-	15	5	2	2	-	-	1
WASHINGTON	5,362	67	-	27	9	5	1	-	-	4
WAYNE	1,032	-	-	2	2	-	-	-	-	1
WEAKLEY	2,753	27	3	19	8	2	-	-	-	7
WHITE	511	2	-	1	-	-	-	-	-	-
WILLIAMSON	9,100	90	3	53	11	17	-	1	-	35
WILSON	8,183	77	1	66	11	16	6	-	-	24

Other Terminations - Total number of fetal deaths and induced termination of pregnancies.

A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2013: *BLACK*

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	15.2	66.1	9.9	14.1	7.8	11.6	7.4	315.5	12.9
ANDERSON	10.8	55.6	5.6	14.7	8.6	-	-	294.1	5.6
BEDFORD	13.3	73.4	-	12.0	6.9	-	-	200.0	-
BENTON	10.1	*	*	*	-	*	*	*	*
BLED SOE	3.9	*	*	*	7.9	*	*	-	*
BLOUNT	12.3	68.6	4.3	4.4	11.4	-	-	155.6	4.3
BRADLEY	12.5	58.2	-	15.3	4.2	16.9	16.9	84.7	-
CAMPBELL	-	*	*	*	10.2	*	*	-	*
CANNON	-	*	*	*	4.9	*	*	-	*
CARROLL	7.2	42.0	6.1	4.5	11.8	-	-	363.6	12.2
CARTER	4.8	26.7	*	*	8.5	*	*	-	*
CHEATHAM	8.7	50.0	*	*	7.3	*	*	*	*
CHESTER	11.8	53.5	-	15.8	6.2	-	-	210.5	-
CLAIBORNE	8.7	*	*	*	8.7	*	*	-	*
CLAY	-	*	*	*	23.6	*	*	-	*
COCKE	15.4	100.9	*	-	7.0	-	-	181.8	*
COFFEE	12.1	63.0	15.9	20.8	10.6	-	-	166.7	15.9
CROCKETT	8.2	44.8	-	-	12.2	-	-	312.5	-
CUMBERLAND	8.7	*	*	*	5.8	*	*	*	*
DAVIDSON	16.0	63.9	7.6	12.9	6.9	11.5	8.1	364.7	10.7
DECATUR	11.1	*	*	*	5.6	*	*	*	*
DEKALE	5.1	*	*	*	2.5	*	*	-	*
DICKSON	10.7	62.0	7.8	21.7	10.7	-	-	87.0	7.8
DYER	13.8	61.6	23.4	18.2	8.1	-	-	324.7	28.6
FAYETTE	12.3	64.2	6.9	15.0	9.2	15.0	15.0	391.0	10.3
FENTRESS	*	*	*	*	*	*	*	-	*
FRANKLIN	7.5	40.2	15.6	37.5	13.2	-	-	125.0	23.4
GIBSON	12.8	62.3	18.2	11.1	11.8	8.5	8.5	128.2	18.2
GILES	10.8	63.1	-	18.8	10.5	31.3	-	312.5	6.5
GRAINGER	6.4	*	*	*	6.4	*	*	-	*
GREENE	5.3	29.0	*	*	6.0	*	*	*	*
GRUNDY	*	*	*	*	*	*	*	-	*
HAMBLEN	10.5	59.1	6.6	16.7	11.6	-	-	166.7	6.6
HAMILTON	14.8	65.7	8.7	16.2	8.6	11.7	6.8	65.3	9.2
HANCOCK	*	*	*	*	*	*	*	-	*
HARDEMAN	13.3	77.9	3.4	17.1	7.7	20.5	20.5	198.6	5.1
HARDIN	7.4	50.7	*	*	17.9	*	*	*	*
HAWKINS	3.6	25.6	*	*	11.9	*	*	*	*
HAYWOOD	14.4	70.8	20.5	12.9	9.4	15.2	7.6	204.5	24.3
HENDERSON	11.4	63.9	8.3	12.0	10.0	-	-	120.0	8.3
HENRY	13.2	83.1	14.4	5.7	14.7	28.6	-	200.0	14.4
HICKMAN	5.9	*	*	*	3.4	*	*	-	*
HOUSTON	-	*	*	*	8.2	*	*	-	*
HUMPHREYS	10.1	*	*	*	18.1	*	*	*	*
JACKSON	*	*	*	*	*	*	*	-	*
JEFFERSON	7.1	49.7	*	*	7.9	*	*	*	*
JOHNSON	4.8	*	*	*	2.4	*	*	-	*
KNOX	13.2	56.6	10.7	14.1	7.3	9.4	7.5	317.7	14.4

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2013: BLACK

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	7.8	75.6	*	35.3	4.1	-	-	58.8	*
LAUDERDALE	12.2	65.3	5.2	12.6	7.8	16.8	16.8	151.3	6.9
LAWRENCE	12.8	86.5	*	*	14.2	*	*	*	*
LEWIS	-	*	*	*	8.2	*	*	-	*
LINCOLN	11.9	66.5	9.3	14.3	14.0	-	-	178.6	9.3
LOUDON	7.7	52.2	*	*	6.4	*	*	*	*
MCMINN	12.1	66.5	-	15.4	13.5	38.5	-	153.8	-
MCNAIRY	11.4	62.9	*	16.7	6.9	-	-	166.7	*
MACON	6.6	*	*	*	-	*	*	-	*
MADISON	15.8	65.8	11.2	14.4	7.4	10.3	3.4	206.2	12.5
MARION	13.3	75.8	*	-	8.8	-	-	133.3	*
MARSHALL	9.9	52.0	9.1	9.5	7.1	-	-	285.7	9.1
MAURY	10.5	50.8	9.8	13.9	11.8	18.5	9.3	268.5	13.1
MEIGS	10.9	*	*	*	16.4	*	*	-	*
MONROE	6.8	49.0	*	*	8.7	*	*	*	*
MONTGOMERY	17.5	72.7	6.2	10.2	5.2	14.4	6.4	207.7	8.9
MOORE	-	*	*	*	6.4	*	*	-	*
MORGAN	-	*	*	*	-	*	*	-	*
OBION	15.7	78.4	10.0	1.9	12.7	18.9	-	94.3	10.0
OVERTON	14.1	*	*	*	-	*	*	-	*
PERRY	5.7	*	*	*	5.7	*	*	-	*
PICKETT	*	*	*	*	*	*	*	-	*
POLK	*	*	*	*	*	*	*	-	*
PUTNAM	14.0	69.4	8.0	12.5	7.0	41.7	41.7	208.3	8.0
RHEA	12.8	87.4	*	*	17.1	*	*	*	*
ROANE	8.4	60.6	*	16.7	15.5	-	-	250.0	*
ROBERTSON	12.2	57.3	9.3	15.6	13.0	31.3	31.3	406.3	21.6
RUTHERFORD	13.7	51.3	5.9	14.2	4.6	7.7	3.8	308.4	8.3
SCOTT	*	*	*	*	*	*	*	-	*
SEQUATCHIE	*	*	*	*	*	*	*	-	*
SEVIER	10.0	49.8	*	9.1	1.8	-	-	454.5	*
SHELBY	16.7	70.8	11.9	14.9	8.0	12.4	8.1	368.6	15.8
SMITH	9.4	*	*	*	11.8	*	*	-	*
STEWART	7.5	*	*	*	11.2	*	*	-	*
SULLIVAN	9.8	55.2	-	5.6	10.9	-	-	27.8	-
SUMNER	12.1	55.7	8.7	13.5	6.8	-	-	340.4	9.9
TIPTON	14.2	66.0	13.1	7.9	9.0	-	-	231.7	15.7
TROUSDALE	-	-	*	*	13.4	*	*	*	*
UNICOI	*	*	*	*	*	*	*	-	*
UNION	*	*	*	*	*	*	*	-	*
VAN BUREN	*	*	*	*	*	*	*	-	*
WARREN	12.0	71.1	*	5.9	10.5	-	-	58.8	*
WASHINGTON	12.5	58.1	-	13.4	5.0	-	-	59.7	-
WAYNE	-	*	*	*	1.9	*	*	*	*
WEAKLEY	9.8	33.6	17.6	14.8	6.9	-	-	259.3	23.5
WHITE	3.9	*	*	*	2.0	*	*	-	*
WILLIAMSON	9.9	51.0	4.7	7.8	5.8	11.1	-	388.9	4.7
WILSON	9.4	46.6	1.9	15.6	8.1	-	-	311.7	3.9

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced termination of pregnancies to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100. Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2013: ALL RACES

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	6,495,866	79,954	1,943	63,199	14,723	13,931	3,497	542	333	11,722
NORTHEAST	350,654	3,366	81	4,200	1,031	900	176	31	19	139
EAST TENNESSEE	751,199	7,902	223	8,996	1,852	2,053	507	47	24	732
SOUTHEAST	325,516	3,705	99	3,759	965	825	197	23	14	220
UPPER CUMBERLAND	341,785	3,801	117	4,325	1,020	962	236	30	20	288
MID-CUMBERLAND	1,159,759	14,844	236	8,140	1,849	1,846	489	77	47	1,842
SOUTH CENTRAL	385,889	4,563	102	4,322	1,031	932	235	21	13	438
NORTHWEST	252,579	2,799	106	3,228	899	654	161	14	6	233
SOUTHWEST	281,816	3,177	85	2,995	769	656	167	25	15	361
MEMPHIS/SHELBY	939,452	13,760	447	7,898	1,825	1,793	401	127	77	3,987
NASHVILLE/DAVIDSON	658,598	9,911	171	5,077	1,182	1,109	386	76	56	2,152
KNOXVILLE/KNOX	444,624	5,113	93	3,990	829	878	234	25	18	796
CHATTANOOGA/HAMILTON	348,669	4,170	94	3,396	790	753	162	28	17	296
JACKSON/MADISON	98,727	1,256	39	896	209	187	37	8	3	198
SULLIVAN	156,599	1,587	50	1,977	472	383	109	10	4	40

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2013 WHITE

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	5,139,373	60,954	1,259	54,123	12,597	11,871	3,060	326	196	5,475
NORTHEAST	333,183	3,223	80	4,119	1,011	886	170	30	18	130
EAST TENNESSEE	713,445	7,646	215	8,776	1,803	2,001	497	45	24	650
SOUTHEAST	304,416	3,525	96	3,632	927	800	189	21	13	191
UPPER CUMBERLAND	328,095	3,698	115	4,257	1,003	950	231	29	19	259
MID-CUMBERLAND	990,425	12,787	192	7,382	1,681	1,682	456	58	37	1,209
SOUTH CENTRAL	347,465	4,229	91	4,030	946	883	219	16	11	341
NORTHWEST	215,459	2,397	76	2,892	818	596	146	10	5	150
SOUTHWEST	216,272	2,364	53	2,468	637	532	134	15	6	175
MEMPHIS/SHELBY	400,579	5,004	69	3,830	909	820	223	16	5	625
NASHVILLE/DAVIDSON	433,406	6,441	87	3,735	854	791	302	38	29	855
KNOXVILLE/KNOX	384,343	4,421	65	3,672	755	811	214	20	14	570
CHATTANOOGA/HAMILTON	263,923	3,030	58	2,781	650	623	142	16	10	214
JACKSON/MADISON	59,156	662	12	621	149	120	30	2	1	67
SULLIVAN	149,206	1,527	50	1,928	454	376	107	10	4	39

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2013: BLACK

REGION	POPULATION	BIRTHS		DEATHS			INFANT DEATHS		OTHER TERMINATIONS	
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL		NEONATAL
STATE	1,107,069	16,863	671	8,607	2,027	1,953	414	196	125	5,321
NORTHEAST	9,024	85	-	54	15	10	5	-	-	6
EAST TENNESSEE	17,610	169	6	161	34	37	8	-	-	41
SOUTHEAST	11,747	130	3	107	32	20	7	2	1	15
UPPER CUMBERLAND	5,559	58	2	45	9	7	3	1	1	7
MID-CUMBERLAND	112,531	1,556	44	679	156	141	31	17	8	433
SOUTH CENTRAL	26,976	280	11	267	80	48	15	4	2	66
NORTHWEST	31,095	368	28	323	78	55	14	3	1	75
SOUTHWEST	58,859	767	32	511	126	122	32	9	8	177
MEMPHIS/SHELBY	498,507	8,313	375	3,977	897	952	173	103	67	3,064
NASHVILLE/DAVIDSON	185,060	2,961	82	1,283	321	301	81	34	24	1,080
KNOXVILLE/KNOX	40,252	532	26	295	71	61	18	5	4	169
CHATTANOOGA/HAMILTON	69,362	1,026	35	594	135	126	20	12	7	67
JACKSON/MADISON	36,829	582	27	271	59	66	6	6	2	120
SULLIVAN	3,658	36	-	40	14	7	1	-	-	1

Other Terminations - Total number of fetal deaths and induced termination of pregnancies.

A dash (-) indicates there were no events.

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2013: **ALL RACES**

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	12.3	62.1	5.9	9.1	9.7	6.8	4.2	146.6	7.2
NORTHEAST	9.6	52.2	5.0	8.5	12.0	9.2	5.6	41.3	5.5
EAST TENNESSEE	10.5	60.0	6.2	8.6	12.0	5.9	3.0	92.6	7.1
SOUTHEAST	11.4	62.0	6.0	9.1	11.5	6.2	3.8	59.4	6.5
UPPER CUMBERLAND	11.1	63.3	7.2	9.4	12.7	7.9	5.3	75.8	8.0
MID-CUMBERLAND	12.8	62.2	3.6	7.9	7.0	5.2	3.2	124.1	4.6
SOUTH CENTRAL	11.8	65.4	5.3	8.5	11.2	4.6	2.8	96.0	6.1
NORTHWEST	11.1	61.2	8.3	8.2	12.8	5.0	2.1	83.2	9.1
SOUTHWEST	11.3	62.8	5.8	9.1	10.6	7.9	4.7	113.6	7.0
MEMPHIS/SHELBY	14.6	68.3	8.6	11.7	8.4	9.2	5.6	289.8	11.2
NASHVILLE/DAVIDSON	15.0	64.1	6.1	8.8	7.7	7.7	5.7	217.1	8.2
KNOXVILLE/KNOX	11.5	54.6	4.4	8.4	9.0	4.9	3.5	155.7	5.5
CHATTANOOGA/HAMILTON	12.0	59.9	5.8	9.7	9.7	6.7	4.1	71.0	6.0
JACKSON/MADISON	12.7	61.8	7.5	9.6	9.1	6.4	2.4	157.6	8.8
SULLIVAN	10.1	58.6	7.0	7.8	12.6	6.3	2.5	25.2	7.0

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2013: **WHITE**

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	11.9	62.4	5.2	7.8	10.5	5.3	3.2	89.8	6.0
NORTHEAST	9.7	52.8	5.3	8.3	12.4	9.3	5.6	40.3	5.8
EAST TENNESSEE	10.7	61.3	6.4	8.5	12.3	5.9	3.1	85.0	7.4
SOUTHEAST	11.6	63.2	6.3	8.9	11.9	6.0	3.7	54.2	6.8
UPPER CUMBERLAND	11.3	64.1	7.5	9.3	13.0	7.8	5.1	70.0	8.3
MID-CUMBERLAND	12.9	64.3	3.6	7.4	7.5	4.5	2.9	94.5	4.4
SOUTH CENTRAL	12.2	67.4	5.3	8.1	11.6	3.8	2.6	80.6	6.0
NORTHWEST	11.1	62.4	7.2	7.6	13.4	4.2	2.1	62.6	7.9
SOUTHWEST	10.9	62.2	5.0	7.7	11.4	6.3	2.5	74.0	5.9
MEMPHIS/SHELBY	12.5	67.0	3.8	6.8	9.6	3.2	1.0	124.9	4.6
NASHVILLE/DAVIDSON	14.9	65.6	5.9	6.9	8.6	5.9	4.5	132.7	7.3
KNOXVILLE/KNOX	11.5	55.6	3.7	7.7	9.6	4.5	3.2	128.9	4.6
CHATTANOOGA/HAMILTON	11.5	60.0	5.1	7.7	10.5	5.3	3.3	70.6	5.3
JACKSON/MADISON	11.2	60.7	4.6	5.3	10.5	3.0	1.5	101.2	6.2
SULLIVAN	10.2	59.3	7.5	8.0	12.9	6.5	2.6	25.5	7.5

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2013: BLACK

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT RATE (10-17)	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	15.2	66.1	9.9	14.1	7.8	11.6	7.4	315.5	12.9
NORTHEAST	9.4	49.6	-	11.8	6.0	-	-	70.6	-
EAST TENNESSEE	9.6	58.0	6.3	10.7	9.1	-	-	242.6	6.3
SOUTHEAST	11.1	59.7	4.5	16.2	9.1	15.4	7.7	115.4	6.0
UPPER CUMBERLAND	10.4	61.6	6.2	12.1	8.1	17.2	17.2	120.7	6.2
MID-CUMBERLAND	13.8	58.5	6.0	12.3	6.0	10.9	5.1	278.3	8.5
SOUTH CENTRAL	10.4	58.2	7.7	13.9	9.9	14.3	7.1	235.7	9.8
NORTHWEST	11.8	59.3	15.7	11.1	10.4	8.2	2.7	203.8	18.0
SOUTHWEST	13.0	67.6	9.3	12.9	8.7	11.7	10.4	230.8	11.6
MEMPHIS/SHELBY	16.7	70.8	11.9	14.9	8.0	12.4	8.1	368.6	15.8
NASHVILLE/DAVIDSON	16.0	63.9	7.6	12.9	6.9	11.5	8.1	364.7	10.7
KNOXVILLE/KNOX	13.2	56.6	10.7	14.1	7.3	9.4	7.5	317.7	14.4
CHATTANOOGA/HAMILTON	14.8	65.7	8.7	16.2	8.6	11.7	6.8	65.3	9.2
JACKSON/MADISON	15.8	65.8	11.2	14.4	7.4	10.3	3.4	206.2	12.5
SULLIVAN	9.8	55.2	-	5.6	10.9	-	-	27.8	-

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced termination of pregnancies to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100. Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

The population estimates for 2013 were interpolated from the Census five-year age cohort estimates (CC-EST2013-ALLDATA-[ST-FIPS] June 2014) by the Division of Policy, Planning and Assessment. These population figures may result in rates that differ from those published in previous time periods.

Tennessee Vital Statistics Summary Data 2013 was published by the Tennessee Department of Health
 Division of Policy, Planning and Assessment
 Andrew Johnson Tower, 2nd Floor
 710 James Robertson Parkway
 Nashville, Tennessee, 37243
 For additional information please contact (615)741-1954

The mission of the Department of Health is to protect, promote and improve the health and prosperity of people in Tennessee.



Tennessee Department of Health, Authorization No. 343582, website only (04-15)

COUNTIES BY HEALTH DEPARTMENT REGIONS

EAST TENNESSEE

ANDERSON
BLOUNT
CAMPBELL
CLAIBORNE
COCKE
GRAINGER
HAMBLEN
JEFFERSON
LOUDON
MONROE
MORGAN
ROANE
SCOTT
SEVIER
UNION

SOUTHEAST

BLEDSON
BRADLEY
FRANKLIN
GRUNDY
MCMINN
MARION
MEIGS
POLK
RHEA
SEQUATCHIE

SULLIVAN

SULLIVAN

NORTHEAST

CARTER
GREENE
HANCOCK
HAWKINS
JOHNSON
UNICOI
WASHINGTON

SOUTHWEST

CHESTER
DECATUR
FAYETTE
HARDEMAN
HARDIN
HAYWOOD
HENDERSON
LAUDERDALE
MCNAIRY
TIPTON

NORTHWEST

BENTON
CARROLL
CROCKETT
DYER
GIBSON
HENRY
LAKE
OBION
WEAKLEY

MID-CUMBERLAND

CHEATHAM
DICKSON
HOUSTON
HUMPHREYS
MONTGOMERY
ROBERTSON
RUTHERFORD
STEWART
SUMNER
TROUSDALE
WILLIAMSON
WILSON

SOUTH CENTRAL

BEDFORD
COFFEE
GILES
HICKMAN
LAWRENCE
LEWIS
LINCOLN
MARSHALL
MAURY
MOORE
PERRY
WAYNE

NASHVILLE/DAVIDSON

DAVIDSON

UPPER CUMBERLAND

CANNON
CLAY
CUMBERLAND
DEKALB
FENTRESS
JACKSON
MACON
OVERTON
PICKETT
PUTNAM
SMITH
VAN BUREN
WARREN
WHITE

MEMPHIS/SHELBY

SHELBY

JACKSON/MADISON

MADISON

KNOXVILLE/KNOX

KNOX

CHATTANOOGA/ HAMILTON

HAMILTON