



Knoxville/Knox County Public Health Region, 2022



81 persons were newly diagnosed with HIV



25% received a late diagnosis

→ Persons diagnosed with HIV Stage 3 (AIDS) within 12 months of a new HIV diagnosis are considered a **late diagnosis**, indicating delayed awareness of HIV status and missed opportunities for prevention efforts.

Most affected subpopulations by number of persons newly diagnosed with HIV


Non-Hispanic white men, IDU	20
Non-Hispanic white women, IDU	19
Non-Hispanic white men, MMS	8
Non-Hispanic white men, HET	6
Non-Hispanic black women, IDU	5

IDU: injection drug use; MMS: male-to-male sexual contact; HET: heterosexual contact

52% were linked to HIV care within 30 days of diagnosis

80% were linked within 365 days

1,213 persons were living with diagnosed HIV



65% were virally suppressed

→ When HIV medication reduces the amount of HIV virus in a person's body to a low enough level (<200 c/mL), they are considered **virally suppressed** and will not transmit HIV through sexual contact.



For more HIV surveillance data visit: tn.gov/health/HIVData

Due to standard reporting delays, the data in this report represent all information reported to TDH through September 14, 2023. Source: Tennessee enhanced HIV/AIDS Reporting System (eHARS)